



US008118447B2

(12) **United States Patent**
Simon et al.

(10) **Patent No.:** **US 8,118,447 B2**
(45) **Date of Patent:** **Feb. 21, 2012**

(54) **LED LIGHTING APPARATUS WITH SWIVEL CONNECTION**

(75) Inventors: **David L. Simon**, Grosse Point Woods, MI (US); **John Ivey**, Farmington Hills, MI (US)

(73) Assignee: **Altair Engineering, Inc.**, Troy, MI (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 558 days.

(21) Appl. No.: **11/961,701**

(22) Filed: **Dec. 20, 2007**

(65) **Prior Publication Data**

US 2009/0159919 A1 Jun. 25, 2009

(51) **Int. Cl.**
F21V 1/00 (2006.01)

(52) **U.S. Cl.** **362/235**; 326/555; 313/318.01; 313/318.02; 313/318.03; 313/623; 313/624; 313/625; 315/246

(58) **Field of Classification Search** 315/246; 313/318.01–318.09, 623–625; 326/555; 362/235

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

54,511 A	2/1920	Owen
58,105 A	6/1921	Poritz
79,814 A	8/1929	Hoch
80,419 A	1/1930	Kramer
84,763 A	7/1931	Stange
D119,797 S	4/1940	Winkler et al.
D125,312 S	2/1941	Logan
2,909,097 A	10/1959	Alden
3,318,185 A	5/1967	Kott

3,561,719 A	2/1971	Grindle
3,586,936 A	6/1971	McLeroy
3,601,621 A	8/1971	Ritchie
3,612,855 A	10/1971	Juhnke
3,643,088 A	2/1972	Osteen et al.
3,746,918 A	7/1973	Drucker et al.
3,818,216 A	6/1974	Larraburu
3,832,503 A	8/1974	Crane

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1584388 A 2/2005

(Continued)

OTHER PUBLICATIONS

Written Opinion of the International Searching Authority dated Jul. 17, 2009 from the corresponding International Application No. PCT/US2008/085118 filed Dec. 1, 2008.

(Continued)

Primary Examiner — Kenneth Parker


Assistant Examiner — Dale E Page

(74) *Attorney, Agent, or Firm* — Young Basile

(57) **ABSTRACT**

Disclosed is a LED lighting apparatus with one or more swivel connections. The LED lighting apparatus includes a housing with at least one end, at least one light emitting diode extending along the housing and at least one end cap. The end cap has an opening with a sidewall to cap the end of the housing and a surface opposite the opening and spanning the sidewall. At least two pin connectors extend from the surface and are connectable to a standard fluorescent or incandescent light fixture. Various configurations are described such that the housing will rotate within the end caps with application of a rotational force after connection of the pin connectors to the light fixture to adjust the light output direction of the LED lighting apparatus.

6 Claims, 3 Drawing Sheets



U.S. PATENT DOCUMENTS					
3,858,086 A	12/1974	Anderson et al.	4,922,154 A	5/1990	Cacoub
3,909,670 A	9/1975	Wakamatsu et al.	4,934,852 A	6/1990	Havel
3,924,120 A	12/1975	Cox, III	4,941,072 A	7/1990	Yasumoto et al.
3,958,885 A	5/1976	Stockinger et al.	4,943,900 A	7/1990	Gartner
3,974,637 A	8/1976	Bergey et al.	4,962,687 A	10/1990	Belliveau et al.
3,993,386 A	11/1976	Rowe	4,965,561 A	10/1990	Havel
4,001,571 A	1/1977	Martin	4,973,835 A	11/1990	Kurosu et al.
4,054,814 A	10/1977	Fegley et al.	4,979,081 A	12/1990	Leach et al.
4,070,568 A	1/1978	Gala	4,980,806 A	12/1990	Taylor et al.
4,082,395 A	4/1978	Donato et al.	4,992,704 A	2/1991	Stinson
4,096,349 A	6/1978	Donato	5,003,227 A	3/1991	Nilssen
4,102,558 A	7/1978	Krachman	5,008,595 A	4/1991	Kazar
4,107,581 A	8/1978	Abernethy	5,008,788 A	4/1991	Palinkas
4,189,663 A	2/1980	Schmutzer et al.	5,010,459 A	4/1991	Taylor et al.
4,211,955 A	7/1980	Ray	5,018,054 A	5/1991	Ohashi
4,241,295 A	12/1980	Williams, Jr.	5,027,037 A	6/1991	Wei
4,271,408 A	6/1981	Teshima et al.	5,027,262 A	6/1991	Freed
4,272,689 A	6/1981	Crosby et al.	5,032,960 A	7/1991	Katoh
4,273,999 A	6/1981	Pierpoint	5,034,807 A	7/1991	Von Kohorn
4,298,869 A	11/1981	Okuno	5,036,248 A	7/1991	McEwan et al.
4,329,625 A	5/1982	Nishizawa et al.	5,038,255 A	8/1991	Nishihashi et al.
4,339,788 A	7/1982	White et al.	5,065,226 A	11/1991	Kluitmans et al.
4,342,947 A	8/1982	Bloyd	5,072,216 A	12/1991	Grange
4,367,464 A	1/1983	Kurahashi et al.	5,078,039 A	1/1992	Tulk et al.
D268,134 S	3/1983	Zurcher	5,083,063 A	1/1992	Brooks
4,382,272 A	5/1983	Quella et al.	5,088,013 A	2/1992	Revis
4,388,567 A	6/1983	Yamazaki et al.	5,089,748 A	2/1992	Ihms
4,388,589 A	6/1983	Molldrem, Jr.	5,103,382 A	4/1992	Kondo et al.
4,392,187 A	7/1983	Bornhorst	5,122,733 A	6/1992	Havel
4,394,719 A	7/1983	Moberg	5,126,634 A	6/1992	Johnson
4,420,711 A	12/1983	Takahashi et al.	5,128,595 A	7/1992	Hara
4,455,562 A	6/1984	Dolan et al.	5,130,909 A	7/1992	Gross
4,500,796 A	2/1985	Quin	5,134,387 A	7/1992	Smith et al.
4,581,687 A	4/1986	Nakanishi	5,140,220 A	8/1992	Hasegawa
4,597,033 A	6/1986	Meggs et al.	5,142,199 A	8/1992	Elwell
4,600,972 A	7/1986	MacIntyre	5,151,679 A	9/1992	Dimmick
4,607,317 A	8/1986	Lin	5,154,641 A	10/1992	McLaughlin
4,622,881 A	11/1986	Rand	5,161,879 A	11/1992	McDermott
4,625,152 A	11/1986	Nakai	5,161,882 A	11/1992	Garrett
4,635,052 A	1/1987	Aoike et al.	5,164,715 A	11/1992	Kashiwabara et al.
4,647,217 A	3/1987	Havel	5,184,114 A	2/1993	Brown
4,656,398 A	4/1987	Michael et al.	5,194,854 A	3/1993	Havel
4,661,890 A	4/1987	Watanabe	5,198,756 A	3/1993	Jenkins et al.
4,668,895 A	5/1987	Schneider	5,209,560 A	5/1993	Taylor et al.
4,675,575 A	6/1987	Smith et al.	5,220,250 A	6/1993	Szuba
4,682,079 A	7/1987	Sanders et al.	5,225,765 A	7/1993	Callahan et al.
4,686,425 A	8/1987	Havel	5,226,723 A	7/1993	Chen
4,687,340 A	8/1987	Havel	5,254,910 A	10/1993	Yang
4,688,154 A	8/1987	Nilssen	5,256,948 A	10/1993	Boldin et al.
4,688,869 A	8/1987	Kelly	5,278,542 A	1/1994	Smith et al.
4,695,769 A	9/1987	Schweickardt	5,282,121 A	1/1994	Bornhorst et al.
4,698,730 A	10/1987	Sakai et al.	5,283,517 A	2/1994	Havel
4,701,669 A	10/1987	Head et al.	5,287,352 A	2/1994	Jackson et al.
4,705,406 A	11/1987	Havel	5,294,865 A	3/1994	Haraden
4,707,141 A	11/1987	Havel	5,298,871 A	3/1994	Shimohara
D293,723 S	1/1988	Buttner	5,301,090 A	4/1994	Hed
4,727,289 A	2/1988	Uchida	5,303,124 A	4/1994	Wrobel
4,740,882 A	4/1988	Miller	5,307,295 A	4/1994	Taylor et al.
4,748,545 A	5/1988	Schmitt	5,321,593 A	6/1994	Moates
4,753,148 A	6/1988	Johnson	5,323,226 A	6/1994	Schreder
4,758,173 A	7/1988	Northrop	5,329,431 A	7/1994	Taylor et al.
4,771,274 A	9/1988	Havel	5,344,068 A	9/1994	Haessig
4,780,621 A	10/1988	Bartleucci et al.	5,350,977 A	9/1994	Hamamoto et al.
4,794,383 A	12/1988	Havel	5,357,170 A	10/1994	Luchaco et al.
4,818,072 A	4/1989	Mohebban	5,371,618 A	12/1994	Tai et al.
4,824,269 A	4/1989	Havel	5,374,876 A	12/1994	Horibata et al.
4,837,565 A	6/1989	White	5,375,043 A	12/1994	Tokunaga
4,843,627 A	6/1989	Stebbins	D354,360 S	1/1995	Murata
4,845,481 A	7/1989	Havel	5,381,074 A	1/1995	Rudzewicz et al.
4,845,745 A	7/1989	Havel	5,388,357 A	2/1995	Malita
4,857,801 A	8/1989	Farrell	5,402,702 A	4/1995	Hata
4,863,223 A	9/1989	Weissenbach et al.	5,404,282 A	4/1995	Klinke et al.
4,870,325 A	9/1989	Kazar	5,406,176 A	4/1995	Sugden
4,874,320 A	10/1989	Freed et al.	5,410,328 A	4/1995	Yoksza et al.
4,887,074 A	12/1989	Simon et al.	5,412,284 A	5/1995	Moore et al.
4,894,832 A	1/1990	Colak	5,412,552 A	5/1995	Fernandes
4,901,207 A	2/1990	Sato et al.	5,420,482 A	5/1995	Phares
4,912,371 A	3/1990	Hamilton	5,421,059 A	6/1995	Leffers, Jr.
			5,430,356 A	7/1995	Ference et al.

5,432,408 A	7/1995	Matsuda et al.	5,890,794 A	4/1999	Abtahi et al.
5,436,535 A	7/1995	Yang	5,896,010 A	4/1999	Mikolajczak et al.
5,436,853 A	7/1995	Shimohara	5,904,415 A *	5/1999	Robertson et al. 362/260
5,450,301 A	9/1995	Waltz et al.	5,907,742 A	5/1999	Johnson et al.
5,461,188 A	10/1995	Drago et al.	5,912,653 A	6/1999	Fitch
5,463,280 A	10/1995	Johnson	5,921,660 A	7/1999	Yu
5,465,144 A	11/1995	Parker et al.	5,924,784 A	7/1999	Chliwnyj et al.
5,475,300 A	12/1995	Havel	5,927,845 A	7/1999	Gustafson et al.
5,489,827 A	2/1996	Xia	5,946,209 A	8/1999	Eckel et al.
5,491,402 A	2/1996	Small	5,949,347 A	9/1999	Wu
5,493,183 A	2/1996	Kimball	5,952,680 A	9/1999	Strite
5,504,395 A	4/1996	Johnson et al.	5,959,547 A	9/1999	Tubel et al.
5,506,760 A	4/1996	Giebler et al.	5,962,989 A	10/1999	Baker
5,513,082 A	4/1996	Asano	5,962,992 A	10/1999	Huang et al.
5,519,496 A	5/1996	Borgert et al.	5,963,185 A	10/1999	Havel
5,530,322 A	6/1996	Ference et al.	5,974,553 A	10/1999	Gandar
5,544,809 A	8/1996	Keating et al.	5,980,064 A	11/1999	Metroyanis
5,545,950 A	8/1996	Cho	5,998,928 A	12/1999	Hipp
5,550,440 A	8/1996	Allison et al.	6,007,209 A	12/1999	Pelka
5,559,681 A	9/1996	Duarte	6,008,783 A	12/1999	Kitagawa et al.
5,561,346 A	10/1996	Byrne	6,011,691 A	1/2000	Schreffler
D376,030 S	11/1996	Cohen	6,016,038 A	1/2000	Mueller et al.
5,575,459 A	11/1996	Anderson	6,018,237 A	1/2000	Havel
5,575,554 A	11/1996	Guritz	6,020,825 A	2/2000	Chansky et al.
5,581,158 A	12/1996	Quazi	6,025,550 A	2/2000	Kato
5,592,051 A	1/1997	Korkala	6,028,694 A	2/2000	Schmidt
5,600,199 A	2/1997	Martin, Sr. et al.	6,030,099 A	2/2000	McDermott
5,607,227 A	3/1997	Yasumoto et al.	6,031,343 A	2/2000	Recknagel et al.
5,608,290 A	3/1997	Hutchisson et al.	D422,737 S	4/2000	Orozco
5,614,788 A	3/1997	Mullins et al.	6,056,420 A	5/2000	Wilson et al.
5,621,282 A	4/1997	Haskell	6,068,383 A	5/2000	Robertson et al.
5,621,603 A	4/1997	Adamec et al.	6,069,597 A	5/2000	Hansen
5,621,662 A	4/1997	Humphries et al.	6,072,280 A	6/2000	Allen
5,622,423 A	4/1997	Lee	6,084,359 A *	7/2000	Hetzel et al. 315/248
5,633,629 A	5/1997	Hochstein	6,091,200 A	7/2000	Lenz
5,634,711 A	6/1997	Kennedy et al.	6,092,915 A	7/2000	Rensch
5,640,061 A	6/1997	Bornhorst et al.	6,095,661 A	8/2000	Lebens et al.
5,640,141 A	6/1997	Myllymaki	6,097,352 A	8/2000	Zavracky et al.
5,642,129 A	6/1997	Zavracky et al.	6,121,875 A	9/2000	Hamm et al.
5,655,830 A	8/1997	Ruskouski	6,127,783 A	10/2000	Pashley et al.
5,656,935 A	8/1997	Havel	6,132,072 A	10/2000	Turnbull et al.
5,661,645 A	8/1997	Hochstein	6,135,604 A	10/2000	Lin
5,673,059 A	9/1997	Zavracky et al.	6,139,174 A	10/2000	Butterworth
5,682,103 A	10/1997	Burrell	6,149,283 A	11/2000	Conway et al.
5,688,042 A	11/1997	Madadi et al.	6,150,774 A	11/2000	Mueller et al.
5,697,695 A	12/1997	Lin et al.	6,151,529 A	11/2000	Batko
5,701,058 A	12/1997	Roth	6,158,882 A	12/2000	Bischoff, Jr.
5,712,650 A	1/1998	Barlow	6,166,496 A	12/2000	Lys et al.
5,721,471 A	2/1998	Begemann et al.	6,175,201 B1	1/2001	Sid
5,725,148 A	3/1998	Hartman	6,175,220 B1	1/2001	Billig et al.
5,726,535 A	3/1998	Yan	6,181,126 B1	1/2001	Havel
5,731,759 A	3/1998	Finucan	6,183,086 B1	2/2001	Neubert
5,734,590 A	3/1998	Tebbe	6,183,104 B1	2/2001	Ferrara
5,751,118 A	5/1998	Mortimer	6,184,628 B1	2/2001	Ruthenberg
5,752,766 A	5/1998	Bailey et al.	6,196,471 B1	3/2001	Ruthenberg
5,765,940 A	6/1998	Levy et al.	6,211,626 B1	4/2001	Lys et al.
5,769,527 A	6/1998	Taylor et al.	6,215,409 B1	4/2001	Blach
5,784,006 A	7/1998	Hochstein	6,217,190 B1	4/2001	Altman et al.
5,790,329 A	8/1998	Klaus et al.	6,219,239 B1	4/2001	Mellberg et al.
5,803,579 A	9/1998	Turnbull et al.	6,227,679 B1	5/2001	Zhang et al.
5,803,580 A	9/1998	Tseng	6,238,075 B1	5/2001	Dealey, Jr. et al.
5,803,729 A	9/1998	Tsimerman	6,241,359 B1	6/2001	Lin
5,808,689 A	9/1998	Small	6,250,774 B1	6/2001	Begemann et al.
5,810,463 A	9/1998	Kawahara et al.	6,252,350 B1	6/2001	Alvarez
5,812,105 A	9/1998	Van de Ven	6,252,358 B1	6/2001	Xydis et al.
5,813,751 A	9/1998	Shaffer	6,268,600 B1	7/2001	Nakamura et al.
5,813,753 A	9/1998	Vriens et al.	6,273,338 B1	8/2001	White
5,821,695 A	10/1998	Vilanilam et al.	6,275,397 B1	8/2001	McClain
5,825,051 A	10/1998	Bauer et al.	6,283,612 B1	9/2001	Hunter
5,828,178 A	10/1998	York et al.	6,292,901 B1	9/2001	Lys et al.
5,836,676 A	11/1998	Ando et al.	6,293,684 B1	9/2001	Riblett
5,848,837 A	12/1998	Gustafson	6,297,724 B1	10/2001	Bryans et al.
5,850,126 A	12/1998	Kanbar	6,305,109 B1	10/2001	Lee
5,851,063 A	12/1998	Doughty et al.	6,305,821 B1	10/2001	Hsieh
5,852,658 A	12/1998	Knight et al.	6,307,331 B1	10/2001	Bonasia et al.
5,854,542 A	12/1998	Forbes	6,310,590 B1	10/2001	Havel
RE36,030 E	1/1999	Nadeau	6,323,832 B1	11/2001	Nishizawa et al.
5,859,508 A	1/1999	Ge et al.	6,325,651 B1	12/2001	Nishihara et al.
5,865,529 A	2/1999	Yan	6,334,699 B1	1/2002	Gladnick

6,340,868	B1	1/2002	Lys et al.	D492,042	S	6/2004	Piepgras
6,354,714	B1	3/2002	Rhodes	6,744,223	B2	6/2004	Laflamme et al.
6,361,186	B1	3/2002	Slayden	6,748,299	B1	6/2004	Motoyama
6,369,525	B1	4/2002	Chang et al.	6,762,562	B2	7/2004	Leong
6,371,637	B1	4/2002	Atchinson et al.	6,774,584	B2	8/2004	Lys et al.
6,373,733	B1	4/2002	Wu et al.	6,777,891	B2	8/2004	Lys et al.
6,379,022	B1	4/2002	Amerson et al.	6,781,329	B2	8/2004	Mueller et al.
D457,667	S	5/2002	Piepgras et al.	6,787,999	B2	9/2004	Stimac et al.
D457,669	S	5/2002	Piepgras et al.	6,788,000	B2	9/2004	Appelberg et al.
D457,974	S	5/2002	Piepgras et al.	6,788,011	B2	9/2004	Mueller et al.
6,394,623	B1	5/2002	Tsui	6,791,840	B2	9/2004	Chun
D458,395	S	6/2002	Piepgras et al.	6,801,003	B2	10/2004	Schanberger et al.
6,400,096	B1	6/2002	Wells et al.	6,806,659	B1	10/2004	Mueller et al.
6,404,131	B1	6/2002	Kawano et al.	6,814,470	B2	11/2004	Rizkin et al.
6,411,022	B1	6/2002	Machida	6,815,724	B2	11/2004	Dry
6,422,716	B2	7/2002	Henrici et al.	6,846,094	B2	1/2005	Luk
6,428,189	B1	8/2002	Hochstein	6,851,816	B2	2/2005	Wu et al.
D463,610	S	9/2002	Piepgras et al.	6,851,832	B2	2/2005	Tieszen
6,445,139	B1	9/2002	Marshall et al.	6,853,151	B2	2/2005	Leong et al.
6,448,550	B1	9/2002	Nishimura	6,853,563	B1	2/2005	Yang et al.
6,448,716	B1	9/2002	Hutchison	6,857,924	B2	2/2005	Fu et al.
6,459,919	B1	10/2002	Lys et al.	6,860,628	B2	3/2005	Robertson
6,469,457	B2	10/2002	Callahan	6,866,401	B2	3/2005	Sommers et al.
6,471,388	B1	10/2002	Marsh	6,869,204	B2	3/2005	Morgan et al.
6,472,823	B2	10/2002	Yen	6,871,981	B2	3/2005	Alexanderson et al.
6,473,002	B1	10/2002	Hutchison	6,874,924	B1	4/2005	Hulse et al.
D468,035	S	12/2002	Blanc et al.	6,879,883	B1	4/2005	Motoyama
6,488,392	B1	12/2002	Lu	6,882,111	B2	4/2005	Kan et al.
6,495,964	B1	12/2002	Muthu et al.	6,883,929	B2	4/2005	Dowling
6,527,411	B1	3/2003	Sayers	6,883,934	B2	4/2005	Kawakami
6,528,954	B1	3/2003	Lys et al.	6,888,322	B2	5/2005	Dowling et al.
6,528,958	B2	3/2003	Hulshof et al.	6,897,624	B2	5/2005	Lys et al.
6,538,375	B1	3/2003	Duggal et al.	6,909,239	B2	6/2005	Gauna
6,548,967	B1	4/2003	Dowling et al.	6,909,921	B1	6/2005	Bilger
6,573,536	B1	6/2003	Dry	6,918,680	B2	7/2005	Seeberger
6,577,072	B2	6/2003	Saito et al.	6,921,181	B2	7/2005	Yen
6,577,080	B2	6/2003	Lys et al.	6,936,968	B2	8/2005	Cross et al.
6,577,512	B2	6/2003	Tripathi et al.	6,936,978	B2	8/2005	Morgan et al.
6,577,794	B1	6/2003	Currie et al.	6,940,230	B2	9/2005	Myron et al.
6,578,979	B2	6/2003	Truttman-Battig	6,948,829	B2	9/2005	Verdes et al.
6,582,103	B1	6/2003	Popovich et al.	6,964,501	B2	11/2005	Ryan
6,583,550	B2	6/2003	Iwasa et al.	6,965,197	B2	11/2005	Tyan et al.
6,583,573	B2	6/2003	Bierman	6,965,205	B2	11/2005	Piepgras et al.
6,586,890	B2	7/2003	Min et al.	6,967,448	B2	11/2005	Morgan et al.
6,592,238	B2	7/2003	Cleaver et al.	6,969,179	B2	11/2005	Sloan et al.
6,596,977	B2	7/2003	Muthu et al.	6,969,186	B2	11/2005	Sonderegger
6,598,996	B1	7/2003	Lodhie	6,969,954	B2	11/2005	Lys
6,608,453	B2	8/2003	Morgan et al.	6,975,079	B2	12/2005	Lys et al.
6,608,614	B1	8/2003	Johnson	6,979,097	B2	12/2005	Elam et al.
6,609,804	B2	8/2003	Nolan et al.	6,982,518	B2	1/2006	Chou et al.
6,612,712	B2	9/2003	Nepil	6,995,681	B2	2/2006	Pederson
6,612,717	B2	9/2003	Yen	6,997,576	B1	2/2006	Lodhie et al.
6,621,222	B1	9/2003	Hong	7,004,603	B2	2/2006	Knight
6,623,151	B2	9/2003	Pederson	D518,218	S	3/2006	Roberge et al.
6,624,597	B2	9/2003	Dowling et al.	7,008,079	B2	3/2006	Smith
D481,484	S	10/2003	Cuevas et al.	7,014,336	B1	3/2006	Ducharme et al.
6,634,770	B2	10/2003	Cao	7,015,650	B2	3/2006	McGrath
6,634,779	B2	10/2003	Reed	7,018,063	B2	3/2006	Michael
6,636,003	B2	10/2003	Rahm et al.	7,021,799	B2	4/2006	Mizuyoshi
6,639,349	B1	10/2003	Bahadur	7,021,809	B2	4/2006	Iwasa et al.
6,641,284	B2	11/2003	Stopa et al.	7,024,256	B2	4/2006	Krzyzanowski et al.
6,659,622	B2	12/2003	Katogi et al.	7,031,920	B2	4/2006	Dowling et al.
6,660,935	B2	12/2003	Southard et al.	7,033,036	B2	4/2006	Pederson
6,666,689	B1	12/2003	Savage, Jr.	7,038,398	B1	5/2006	Lys et al.
6,667,623	B2	12/2003	Bourgault et al.	7,038,399	B2	5/2006	Lys et al.
6,674,096	B2	1/2004	Sommers	7,042,172	B2	5/2006	Dowling et al.
6,676,284	B1	1/2004	Wynne Willson	7,048,423	B2	5/2006	Stepanenko et al.
6,679,621	B2	1/2004	West et al.	7,049,761	B2	5/2006	Timmermans et al.
6,681,154	B2	1/2004	Nierlich et al.	7,052,171	B1*	5/2006	Lefebvre et al. 362/649
6,682,205	B2	1/2004	Lin	7,053,557	B2	5/2006	Cross et al.
6,683,419	B2	1/2004	Kriparos	7,064,498	B2	6/2006	Dowling et al.
6,700,136	B2	3/2004	Guida	7,064,674	B2	6/2006	Pederson
6,712,486	B1	3/2004	Popovich et al.	7,067,992	B2	6/2006	Leong et al.
6,717,376	B2	4/2004	Lys et al.	7,077,978	B2	7/2006	Setlur et al.
6,717,526	B2	4/2004	Martineau et al.	7,080,927	B2	7/2006	Feuerborn et al.
6,720,745	B2	4/2004	Lys et al.	7,086,747	B2	8/2006	Nielson et al.
6,726,348	B2	4/2004	Gloisten	7,088,014	B2	8/2006	Nierlich et al.
6,741,324	B1	5/2004	Kim, II	7,088,904	B2	8/2006	Ryan, Jr.
D491,678	S	6/2004	Piepgras	7,102,902	B1	9/2006	Brown et al.

7,113,541	B1	9/2006	Lys et al.	7,259,528	B2	8/2007	Pilz
7,114,830	B2	10/2006	Robertson	7,262,439	B2	8/2007	Setlur et al.
7,114,834	B2	10/2006	Rivas	7,264,372	B2	9/2007	Maglica
7,118,262	B2	10/2006	Negley	7,267,467	B2	9/2007	Wu
7,119,503	B2	10/2006	Kemper	7,270,443	B2	9/2007	Kurtz
7,121,679	B2	10/2006	Fujimoto	7,271,794	B1	9/2007	Cheng et al.
7,122,976	B1	10/2006	Null et al.	7,273,300	B2	9/2007	Mrakovich
7,128,442	B2	10/2006	Lee et al.	7,274,045	B2	9/2007	Chandran et al.
7,128,454	B2	10/2006	Kim et al.	7,274,160	B2	9/2007	Mueller et al.
D532,532	S	11/2006	Maxik	D553,267	S	10/2007	Yuen
7,132,635	B2	11/2006	Dowling	7,285,801	B2	10/2007	Eliashevich et al.
7,132,785	B2	11/2006	Ducharme	7,288,902	B1	10/2007	Melanson
7,132,804	B2	11/2006	Lys et al.	7,296,912	B2	11/2007	Beauchamp
7,135,824	B2	11/2006	Lys et al.	7,300,184	B2	11/2007	Ichikawa et al.
7,139,617	B1	11/2006	Morgan et al.	7,300,192	B2	11/2007	Mueller et al.
7,144,135	B2	12/2006	Martin et al.	D556,937	S	12/2007	Ly
7,153,002	B2	12/2006	Kim et al.	D557,854	S	12/2007	Lewis
7,161,311	B2	1/2007	Mueller et al.	7,303,300	B2	12/2007	Dowling et al.
7,161,313	B2	1/2007	Piepgas et al.	7,306,353	B2	12/2007	Popovich et al.
7,161,556	B2	1/2007	Morgan et al.	7,307,391	B2	12/2007	Shan
7,164,110	B2	1/2007	Pitigoi-Aron et al.	7,308,296	B2	12/2007	Lys et al.
7,165,863	B1	1/2007	Thomas et al.	7,309,965	B2	12/2007	Dowling et al.
7,165,866	B2	1/2007	Li	7,318,658	B2	1/2008	Wang et al.
7,167,777	B2	1/2007	Budike, Jr.	7,319,244	B2	1/2008	Liu et al.
7,168,843	B2	1/2007	Striebel	7,319,246	B2	1/2008	Soules et al.
D536,468	S	2/2007	Crosby	7,321,191	B2	1/2008	Setlur et al.
7,178,941	B2	2/2007	Roberge	7,326,964	B2	2/2008	Lim et al.
7,180,252	B2	2/2007	Lys et al.	7,329,031	B2	2/2008	Liaw et al.
D538,950	S	3/2007	Maxik	D563,589	S	3/2008	Hariri et al.
D538,952	S	3/2007	Maxik et al.	7,345,320	B2	3/2008	Dahm
D538,962	S	3/2007	Elliott	7,348,604	B2	3/2008	Matheson
7,186,003	B2	3/2007	Dowling et al.	7,350,936	B2	4/2008	Ducharme et al.
7,186,005	B2	3/2007	Hulse	7,350,952	B2	4/2008	Nishigaki
7,187,141	B2	3/2007	Mueller et al.	7,352,138	B2	4/2008	Lys et al.
7,190,126	B1	3/2007	Paton	7,352,339	B2	4/2008	Morgan et al.
7,192,154	B2	3/2007	Becker	7,353,071	B2	4/2008	Blackwell et al.
7,201,491	B2	4/2007	Bayat	7,358,679	B2	4/2008	Lys et al.
7,201,497	B2	4/2007	Weaver, Jr. et al.	7,358,929	B2	4/2008	Mueller et al.
7,202,613	B2	4/2007	Morgan et al.	7,374,327	B2	5/2008	Schexnaider
7,204,615	B2	4/2007	Arik et al.	7,385,359	B2	6/2008	Dowling et al.
7,204,622	B2	4/2007	Dowling et al.	7,391,159	B2	6/2008	Harwood
7,207,696	B1	4/2007	Lin	7,396,146	B2	7/2008	Wang
7,210,818	B2	5/2007	Luk	7,401,935	B2	7/2008	VanderSchuit
7,210,957	B2	5/2007	Mrakovich	7,401,945	B2	7/2008	Zhang
7,211,959	B1	5/2007	Chou	7,427,840	B2	9/2008	Morgan et al.
7,213,934	B2	5/2007	Zarian et al.	7,429,117	B2	9/2008	Pohlert et al.
7,217,012	B2	5/2007	Southard et al.	7,438,441	B2	10/2008	Sun et al.
7,217,022	B2	5/2007	Ruffin	7,449,847	B2	11/2008	Schanberger et al.
7,218,056	B1	5/2007	Harwood	7,476,004	B2	1/2009	Chan
7,218,238	B2	5/2007	Right et al.	7,478,924	B2	1/2009	Robertson
7,220,015	B2	5/2007	Dowling	7,490,957	B2	2/2009	Leong et al.
7,221,104	B2	5/2007	Lys et al.	7,497,596	B2	3/2009	Ge
7,221,110	B2	5/2007	Sears et al.	7,507,001	B2	3/2009	Kit
7,224,000	B2	5/2007	Aanegola et al.	7,510,299	B2	3/2009	Timmermans et al.
7,226,189	B2	6/2007	Lee et al.	7,521,872	B2	4/2009	Bruning
7,228,052	B1	6/2007	Lin	7,524,089	B2	4/2009	Park
7,228,190	B2	6/2007	Dowling et al.	7,534,002	B2	5/2009	Yamaguchi et al.
7,231,060	B2	6/2007	Dowling et al.	7,549,769	B2	6/2009	Kim et al.
7,233,115	B2	6/2007	Lys	7,556,396	B2	7/2009	Kuo et al.
7,233,831	B2	6/2007	Blackwell	7,572,030	B2	8/2009	Booth et al.
7,236,366	B2	6/2007	Chen	7,575,339	B2	8/2009	Hung
7,237,924	B2	7/2007	Martineau et al.	7,619,366	B2	11/2009	Diederiks
7,237,925	B2	7/2007	Mayer et al.	7,635,201	B2	12/2009	Deng
7,239,532	B1	7/2007	Hsu et al.	2001/0033488	A1	10/2001	Chliwnyj et al.
7,241,038	B2	7/2007	Naniwa et al.	2001/0045803	A1	11/2001	Cencur
7,242,152	B2	7/2007	Dowling et al.	2002/0038157	A1	3/2002	Dowling et al.
7,246,926	B2	7/2007	Harwood	2002/0044066	A1	4/2002	Dowling et al.
7,246,931	B2	7/2007	Hsieh et al.	2002/0047569	A1	4/2002	Dowling et al.
7,248,239	B2	7/2007	Dowling et al.	2002/0047624	A1	4/2002	Stam et al.
7,249,269	B1	7/2007	Motoyama	2002/0047628	A1	4/2002	Morgan et al.
7,249,865	B2	7/2007	Robertson	2002/0048169	A1	4/2002	Dowling et al.
D548,868	S	8/2007	Roberge et al.	2002/0057061	A1	5/2002	Mueller et al.
7,252,408	B2	8/2007	Mazzochette et al.	2002/0060526	A1*	5/2002	Timmermans et al. 315/246
7,253,566	B2	8/2007	Lys et al.	2002/0070688	A1	6/2002	Dowling et al.
7,255,457	B2	8/2007	Ducharme et al.	2002/0074559	A1	6/2002	Dowling et al.
7,255,460	B2	8/2007	Lee	2002/0078221	A1	6/2002	Blackwell et al.
7,256,554	B2	8/2007	Lys	2002/0101197	A1	8/2002	Lys et al.
7,258,458	B2	8/2007	Mochiachvili et al.	2002/0113555	A1	8/2002	Lys et al.
7,258,467	B2	8/2007	Saccomanno	2002/0130627	A1	9/2002	Morgan et al.

2002/0145394	A1	10/2002	Morgan et al.	2005/0151489	A1	7/2005	Lys et al.
2002/0145869	A1	10/2002	Dowling	2005/0151663	A1	7/2005	Tanguay
2002/0152045	A1	10/2002	Dowling et al.	2005/0154494	A1	7/2005	Ahmed
2002/0152298	A1	10/2002	Kikta et al.	2005/0162093	A1	7/2005	Timmermans et al.
2002/0153851	A1	10/2002	Morgan et al.	2005/0174473	A1	8/2005	Morgan et al.
2002/0158583	A1	10/2002	Lys et al.	2005/0174780	A1	8/2005	Park
2002/0163316	A1	11/2002	Lys et al.	2005/0184667	A1	8/2005	Sturman et al.
2002/0171365	A1	11/2002	Morgan et al.	2005/0201112	A1	9/2005	Machi et al.
2002/0171377	A1	11/2002	Mueller et al.	2005/0206529	A1	9/2005	St.-Germain
2002/0171378	A1	11/2002	Morgan et al.	2005/0213320	A1	9/2005	Kazuhiro
2002/0176259	A1	11/2002	Ducharme	2005/0213352	A1	9/2005	Lys
2002/0179816	A1	12/2002	Haines et al.	2005/0213353	A1	9/2005	Lys
2002/0195975	A1	12/2002	Schanberger et al.	2005/0218838	A1	10/2005	Lys
2003/0011538	A1	1/2003	Lys et al.	2005/0218870	A1	10/2005	Lys
2003/0028260	A1	2/2003	Blackwell	2005/0219860	A1	10/2005	Schexnaider
2003/0031015	A1	2/2003	Ishibashi	2005/0219872	A1	10/2005	Lys
2003/0057884	A1	3/2003	Dowling et al.	2005/0225979	A1	10/2005	Robertson et al.
2003/0057886	A1	3/2003	Lys et al.	2005/0231133	A1	10/2005	Lys
2003/0057887	A1	3/2003	Dowling et al.	2005/0236029	A1	10/2005	Dowling
2003/0057890	A1	3/2003	Lys et al.	2005/0236998	A1	10/2005	Mueller et al.
2003/0076281	A1	4/2003	Morgan et al.	2005/0248299	A1	11/2005	Chemel et al.
2003/0085710	A1	5/2003	Bourgault et al.	2005/0253533	A1	11/2005	Lys et al.
2003/0095404	A1	5/2003	Becks et al.	2005/0259424	A1	11/2005	Zampini, II et al.
2003/0100837	A1	5/2003	Lys et al.	2005/0265019	A1	12/2005	Sommers et al.
2003/0102810	A1	6/2003	Cross et al.	2005/0275626	A1	12/2005	Mueller et al.
2003/0133292	A1	7/2003	Mueller et al.	2005/0276051	A1	12/2005	Caudle et al.
2003/0137258	A1	7/2003	Piepgras et al.	2005/0276053	A1	12/2005	Nortrup et al.
2003/0185005	A1	10/2003	Sommers et al.	2005/0276064	A1	12/2005	Wu
2003/0185014	A1	10/2003	Gloisten	2005/0285547	A1	12/2005	Piepgras et al.
2003/0189412	A1	10/2003	Cunningham	2006/0002110	A1	1/2006	Dowling et al.
2003/0222587	A1	12/2003	Dowling, Jr. et al.	2006/0012987	A9	1/2006	Ducharme et al.
2004/0003545	A1	1/2004	Gillespie	2006/0012997	A1	1/2006	Catalano et al.
2004/0012959	A1	1/2004	Robertson et al.	2006/0016960	A1	1/2006	Morgan et al.
2004/0036006	A1	2/2004	Dowling	2006/0022214	A1	2/2006	Morgan et al.
2004/0037088	A1	2/2004	English et al.	2006/0028155	A1	2/2006	Young
2004/0052076	A1	3/2004	Mueller et al.	2006/0028837	A1	2/2006	Mrakovich
2004/0062041	A1	4/2004	Cross et al.	2006/0034078	A1	2/2006	Kovacik
2004/0075572	A1	4/2004	Buschmann et al.	2006/0050509	A9	3/2006	Dowling et al.
2004/0080960	A1	4/2004	Wu	2006/0050514	A1	3/2006	Opolka
2004/0090191	A1	5/2004	Mueller et al.	2006/0076908	A1	4/2006	Morgan et al.
2004/0090787	A1	5/2004	Dowling et al.	2006/0092640	A1	5/2006	Li
2004/0105261	A1	6/2004	Ducharme et al.	2006/0098077	A1	5/2006	Dowling
2004/0113568	A1	6/2004	Dowling et al.	2006/0104058	A1	5/2006	Chemel et al.
2004/0116039	A1	6/2004	Mueller et al.	2006/0109648	A1	5/2006	Trenchard
2004/0124782	A1	7/2004	Yu	2006/0109649	A1	5/2006	Ducharme et al.
2004/0130909	A1	7/2004	Mueller et al.	2006/0109661	A1	5/2006	Coushaine et al.
2004/0141321	A1	7/2004	Dowling et al.	2006/0126325	A1*	6/2006	Lefebvre et al. 362/217
2004/0155609	A1	8/2004	Lys et al.	2006/0132061	A1	6/2006	McCormick et al.
2004/0160199	A1	8/2004	Morgan et al.	2006/0132323	A1	6/2006	Grady, Jr.
2004/0178751	A1	9/2004	Mueller et al.	2006/0146531	A1	7/2006	Reo et al.
2004/0189218	A1	9/2004	Leong et al.	2006/0152172	A9	7/2006	Mueller et al.
2004/0189262	A1	9/2004	McGrath	2006/0158881	A1	7/2006	Dowling
2004/0212320	A1	10/2004	Dowling et al.	2006/0170376	A1	8/2006	Piepgras et al.
2004/0212321	A1	10/2004	Lys et al.	2006/0192502	A1	8/2006	Brown et al.
2004/0212993	A1	10/2004	Morgan et al.	2006/0193131	A1	8/2006	McGrath et al.
2004/0223328	A1	11/2004	Lee et al.	2006/0197661	A1	9/2006	Tracy et al.
2004/0240890	A1	12/2004	Lys et al.	2006/0198128	A1	9/2006	Piepgras et al.
2004/0257007	A1	12/2004	Lys et al.	2006/0208667	A1	9/2006	Lys et al.
2005/0013133	A1	1/2005	Yeh	2006/0221606	A1	10/2006	Dowling et al.
2005/0024877	A1	2/2005	Frederick	2006/0221619	A1	10/2006	Nishigaki
2005/0030744	A1	2/2005	Ducharme et al.	2006/0232974	A1	10/2006	Lee et al.
2005/0035728	A1	2/2005	Schanberger et al.	2006/0262516	A9	11/2006	Dowling et al.
2005/0036300	A1	2/2005	Dowling et al.	2006/0262521	A1	11/2006	Piepgras et al.
2005/0040774	A1	2/2005	Mueller et al.	2006/0262544	A1	11/2006	Piepgras et al.
2005/0041161	A1	2/2005	Dowling et al.	2006/0262545	A1	11/2006	Piepgras et al.
2005/0041424	A1	2/2005	Ducharme	2006/0273741	A1	12/2006	Stalker, III
2005/0043907	A1	2/2005	Eckel et al.	2006/0274529	A1	12/2006	Cao
2005/0044617	A1	3/2005	Mueller et al.	2006/0285325	A1	12/2006	Ducharme et al.
2005/0047132	A1	3/2005	Dowling et al.	2007/0035255	A1	2/2007	Shuster et al.
2005/0047134	A1	3/2005	Mueller et al.	2007/0040516	A1	2/2007	Chen
2005/0062440	A1	3/2005	Lys et al.	2007/0041220	A1	2/2007	Lynch
2005/0063194	A1	3/2005	Lys et al.	2007/0047227	A1	3/2007	Ducharme
2005/0078477	A1	4/2005	Lo	2007/0053182	A1	3/2007	Robertson
2005/0099824	A1	5/2005	Dowling et al.	2007/0053208	A1	3/2007	Justel et al.
2005/0107694	A1	5/2005	Jansen et al.	2007/0064419	A1	3/2007	Gandhi
2005/0110384	A1	5/2005	Peterson	2007/0070621	A1	3/2007	Rivas
2005/0116667	A1	6/2005	Mueller et al.	2007/0070631	A1	3/2007	Huang et al.
2005/0128751	A1	6/2005	Roberge et al.	2007/0081423	A1	4/2007	Chien
2005/0141225	A1	6/2005	Striebel	2007/0086754	A1	4/2007	Lys et al.

2007/0086912	A1	4/2007	Dowling et al.	2009/0016063	A1	1/2009	Hu
2007/0097678	A1	5/2007	Yang	2009/0046473	A1	2/2009	Tsai et al.
2007/0115658	A1	5/2007	Mueller et al.	2009/0052186	A1	2/2009	Xue
2007/0115665	A1	5/2007	Mueller et al.	2009/0086492	A1	4/2009	Meyer
2007/0120594	A1	5/2007	Balakrishnan et al.	2009/0091938	A1	4/2009	Jacobson et al.
2007/0127234	A1	6/2007	Jervey, III	2009/0185373	A1	7/2009	Grajcar
2007/0133202	A1*	6/2007	Huang et al. 362/235	2009/0303720	A1	12/2009	McGrath
2007/0139938	A1	6/2007	Petroski et al.	FOREIGN PATENT DOCUMENTS			
2007/0145915	A1	6/2007	Roberge et al.	CN	2766345	Y	3/2006
2007/0147046	A1	6/2007	Arik et al.	CN	2869556	Y	2/2007
2007/0152797	A1	7/2007	Chemel et al.	EP	0013782	B1	3/1983
2007/0153514	A1	7/2007	Dowling et al.	EP	0091172	A2	10/1983
2007/0159828	A1	7/2007	Wang	EP	0124924	B1	9/1987
2007/0165402	A1	7/2007	Weaver, Jr. et al.	EP	0174699	B1	11/1988
2007/0173978	A1	7/2007	Fein et al.	EP	0197602	B1	11/1990
2007/0177382	A1	8/2007	Pritchard	EP	0214701	B1	3/1992
2007/0182387	A1	8/2007	Weirich	EP	0262713	B1	6/1992
2007/0188114	A1	8/2007	Lys et al.	EP	0203668	B1	2/1993
2007/0188427	A1	8/2007	Lys et al.	EP	0272749	B1	8/1993
2007/0189026	A1	8/2007	Chemel et al.	EP	0337567	B1	11/1993
2007/0195526	A1	8/2007	Dowling et al.	EP	0390262	B1	12/1993
2007/0195527	A1	8/2007	Russell	EP	0359329	B1	3/1994
2007/0195532	A1	8/2007	Reisenauer et al.	EP	0403011	B1	4/1994
2007/0205712	A1	9/2007	Radkov et al.	EP	0632511	A2	1/1995
2007/0206375	A1	9/2007	Pieprgras et al.	EP	0432848	B1	4/1995
2007/0211463	A1	9/2007	Chevalier et al.	EP	0403001	B1	8/1995
2007/0228999	A1	10/2007	Kit	EP	0525876	B1	5/1996
2007/0235751	A1	10/2007	Radkov et al.	EP	0714556	B1	1/1999
2007/0236156	A1	10/2007	Lys et al.	EP	0458408	B1	9/1999
2007/0237284	A1	10/2007	Lys et al.	EP	0578302	B1	9/1999
2007/0240346	A1	10/2007	Li et al.	EP	0723701	B1	1/2000
2007/0241657	A1	10/2007	Radkov et al.	EP	0787419	B1	5/2001
2007/0242466	A1	10/2007	Wu et al.	EP	1195740	A2	4/2002
2007/0247842	A1	10/2007	Zampini et al.	EP	1016062	B1	8/2002
2007/0247847	A1	10/2007	Villard	EP	1195740	A3	1/2003
2007/0247851	A1	10/2007	Villard	EP	1149510	B1	2/2003
2007/0258231	A1	11/2007	Koerner et al.	EP	1056993	B1	3/2003
2007/0258240	A1	11/2007	Ducharme et al.	EP	0766436	B1	5/2003
2007/0263379	A1	11/2007	Dowling	EP	0924281	B1	5/2003
2007/0274070	A1	11/2007	Wedell	EP	0826167	B1	6/2003
2007/0281520	A1	12/2007	Insalaco et al.	EP	1147686	B1	1/2004
2007/0285926	A1	12/2007	Maxik	EP	1142452	B1	3/2004
2007/0285933	A1	12/2007	Southard et al.	EP	1145602	B1	3/2004
2007/0290625	A1	12/2007	He et al.	EP	1422975	A1	5/2004
2007/0291483	A1	12/2007	Lys	EP	0890059	B1	6/2004
2008/0003664	A1	1/2008	Tysoe et al.	EP	1348319	B1	6/2005
2008/0007945	A1	1/2008	Kelly et al.	EP	1037862	B1	7/2005
2008/0012502	A1	1/2008	Lys	EP	1346609	B1	8/2005
2008/0012506	A1	1/2008	Mueller et al.	EP	1321012	B1	12/2005
2008/0013316	A1	1/2008	Chiang	EP	1610593	A2	12/2005
2008/0013324	A1	1/2008	Yu	EP	1415517	B1	5/2006
2008/0018261	A1	1/2008	Kastner	EP	1415518	B1	5/2006
2008/0037245	A1	2/2008	Chan	EP	1438877	B1	5/2006
2008/0037284	A1	2/2008	Rudisill	EP	1166604	B1	6/2006
2008/0062680	A1	3/2008	Timmermans et al.	EP	1479270	B1	7/2006
2008/0089075	A1	4/2008	Hsu	EP	1348318	B1	8/2006
2008/0092800	A1	4/2008	Smith et al.	EP	1399694	B1	8/2006
2008/0093615	A1	4/2008	Lin et al.	EP	1461980	B1	10/2006
2008/0093998	A1	4/2008	Dennery et al.	EP	1110120	B1	4/2007
2008/0094837	A1	4/2008	Dobbins et al.	EP	1440604	B1	4/2007
2008/0130267	A1	6/2008	Dowling et al.	EP	1047903	B1	6/2007
2008/0158871	A1	7/2008	McAvoy et al.	EP	1500307	B1	6/2007
2008/0158887	A1	7/2008	Zhu et al.	EP	0922305	B1	8/2007
2008/0164826	A1	7/2008	Lys	EP	0922306	B1	8/2007
2008/0164827	A1	7/2008	Lys	EP	1194918	B1	8/2007
2008/0164854	A1	7/2008	Lys	EP	1048085	B1	11/2007
2008/0175003	A1	7/2008	Tsou et al.	EP	1763650	B1	12/2007
2008/0180036	A1	7/2008	Garrity et al.	EP	1337784	B1	6/2009
2008/0186704	A1	8/2008	Chou et al.	JP	6-54103	U	7/1994
2008/0192436	A1	8/2008	Peng et al.	JP	H6-54103		7/1994
2008/0211419	A1	9/2008	Garrity	JP	7-249467		9/1995
2008/0224629	A1	9/2008	Melanson	JP	07-249467	A	9/1995
2008/0224636	A1	9/2008	Melanson	JP	08-162677		6/1996
2008/0253125	A1	10/2008	Kang et al.	JP	11-135274	A	5/1999
2008/0258647	A1	10/2008	Scianna	JP	2001-238272	A	8/2001
2008/0285257	A1	11/2008	King	JP	2002-141555	A	5/2002
2008/0290814	A1	11/2008	Leong et al.	JP	3098271	U	2/2004
2008/0315784	A1	12/2008	Tseng	JP	2004-335426		11/2004
2009/0002995	A1	1/2009	Lee et al.				

JP	2005-158363	A	6/2005
JP	2005-166617	A	6/2005
JP	2005-347214	A	12/2005
JP	2006-507641	A	3/2006
KR	10-2004-0008244	A	1/2004
KR	20-0430022	Y1	11/2006
KR	10-0781652	B1	12/2007
WO	99/10867	A1	3/1999
WO	99/31560	A2	6/1999
WO	00/01067	A2	1/2000
WO	02/25842	A2	3/2002
WO	02/061330	A2	8/2002
WO	02/069306	A2	9/2002
WO	02/091805	A2	11/2002
WO	02/098182	A2	12/2002
WO	02/099780	A2	12/2002
WO	03/026358	A1	3/2003
WO	03/055273	A2	7/2003
WO	03/067934	A2	8/2003
WO	03/090890	A1	11/2003
WO	03/096761	A1	11/2003
WO	2004/021747	A2	3/2004
WO	2004/023850	A2	3/2004
WO	2004/032572	A2	4/2004
WO	2004/100624	A2	11/2004
WO	2005/052751	A2	6/2005
WO	2005/060309	A2	6/2005
WO	2005/084339	A2	9/2005
WO	2005/089293	A2	9/2005
WO	2005/089309	A2	9/2005
WO	2006/023149	A2	3/2006
WO	2006/093889	A2	9/2006
WO	2006/127666	A2	11/2006
WO	2006/127785	A2	11/2006
WO	2006/133272	A2	12/2006
WO	2007/081674	A1	7/2007
WO	2007/094810	A2	8/2007

OTHER PUBLICATIONS

International Search Report dated Jul. 17, 2009 from the corresponding International Application No. PCT/US2008/085118 filed Dec. 1, 2008.

Wolsey, Robert. Interoperable Systems: The Future of Lighting Control, Lighting Research Center, Jan. 1, 1997, vol. 2 No. 2, Rensselaer Polytechnic Institute, Troy, New York [online]. Retrieved Lighting Research Center Web Page using Internet <URL: <http://www.lrc.rpi.edu/programs/Futures/LF-BAS/index.asp>>.

Experiment Electronic Ballast. Electronic Ballast for Fluorescent Lamps [online], Revised Fall of 2007. [Retrieved on Sep. 1, 1997]. Retrieved from Virginia Tech Web Page using Internet <URL: <http://www.ece.vt.edu/ece3354/labs/ballast.pdf>>.

Truck-Lite, LEDSelect—LED, Model 35, Clearance & Marker Lighting, [online], [retrieved on Jan. 13, 2000] Retrieved from Truck-Lite Web Page using Internet <URL: <http://trucklite.com/leds14.html>>.

Truck-Lite, LEDSelect—LED, Super 44, Stop, Turn & Tail Lighting, [online], [retrieved on Jan. 13, 2000] Retrieved from Truck-Lite Web Page using Internet <URL: <http://trucklite.com/leds2.html>>.

Truck-Lite, LEDSelect—LED, Model 45, Stop, Turn & Tail Lighting [online], [retrieved on Jan. 13, 2000] Retrieved from Truck-Lite Web Page using Internet <URL: <http://trucklite.com/leds4.html>>.

Telecite Products & Services—Display Options, [online], [retrieved on Jan. 13, 2000] Retrieved from Telecite Web page using Internet <URL: <http://www.telecite.com/en/products/options.en.htm>>.

Traffic Signal Products—Transportation Products Group, [online], [retrieved on Jan. 13, 2000] Retrieved from the Dialight Web Page using Internet <URL: <http://www.dialight.com/trans.htm>>.

LED Lights, Replacement LED lamps for any incandescent light, [online], [retrieved on Jan. 13, 2000] Retrieved from LED Lights Web Page using Internet <URL: <http://www.ledlights.com/replac.htm>>.

LEDTRONICS, LEDTRONICS Catalog, 1996, p. 10, LEDTRONICS, Torrance, California.

Piper. The Best Path to Efficiency. Building Operating Management, Trade Press Publishing Company May 2000 [online], [retrieved on Jan. 17, 2008]. Retrieved from Find Articles Web Page using Internet <URL: http://findarticles.com/p/articles/mi_qu3922/is_200005/ai_n8899499/>.

Henson, Keith. The Benefits of Building Systems Integration. Access Control & Security Systems Integration, Oct. 1, 2000, Penton Media. [online], [retrieved on Oct. 24, 2008] Retrieved from Security Solutions Web page using Internet <URL: http://securitysolutions.com/mag/security_benefits_building_systems/>.

Phason Electronic Control Systems, Light Level Controller (LLC) case study. Nov. 30, 2004. 3 pages, Phason Inc., Winnipeg, Manitoba, Canada.

Airport International. Fly High With Intelligent Airport Building and Security Solutions [online], [retrieved on Oct. 24, 2008]. Retrieved from Airport International web page using Internet <URL: <http://www.airport-int.com/categories/airport-building-and-security-solutions/fly-high-with-intelligent-airport-building-and-security-solutions.html>>.

Spencer, Eugene. High Sales, Low Utilization. Green Intelligent Buildings, Feb. 1, 2007. [online]. Retrieved from Green Intelligent Buildings web page using Internet <URL: http://www.greenintelligentbuildings.com/CDA/IBT_Archive/BNP_GUID_9-5-2006_A_1000000000000056772>.

D.N.A.-111, [online], [retrieved Mar. 10, 2009] Retrieved from the PLC Lighting Web Page using Internet <URL: http://www.plclighting.com/product_info.php?cPath=1&products_id=92>.

E20116-18 Larnes Collection, [online], [retrieved on Jul. 10, 2010] Retrieved from ET2 Contemporary Lighting using Internet <URL: <http://www.et2online.com/proddetail.aspx?ItemID=E20116-18>>.

E20112-22 Starburst Collection, [online], [retrieved on Jul. 10, 2010] Retrieved from ET2 Contemporary Lighting using Internet <URL: <http://www.et2online.com/proddetail.aspx?ItemID=E20112-22>>.

E20524-10 & E20525-10 Curva Collection, [online], [retrieved on Jul. 10, 2010] Retrieved from ET2 Contemporary Lighting using Internet <URL: <http://www.et2online.com/proddetail.aspx?ItemID=E20524-10&E20525-10>>.

E22201-44 Esprit Collection, [online], [retrieved on Jul. 10, 2010] Retrieved from ET2 Contemporary Lighting using Internet <URL: <http://www.et2online.com/proddetail.aspx?ItemID=E22201-44>>.

E20743-09 Stealth Collection, [online], [retrieved on Jul. 10, 2010] Retrieved from ET2 Contemporary Lighting using Internet <URL: <http://www.et2online.com/proddetail.aspx?ItemID=E20743-09>>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 5A




FIG. 6




FIG. 7




FIG. 7A




FIG. 8





FIG. 10




FIG. 10A




FIG. 11

1

LED LIGHTING APPARATUS WITH SWIVEL CONNECTION

FIELD OF THE INVENTION

The present invention relates in general to light emitting diode assemblies that have a housing containing a plurality of light emitting diodes and that can be used to replace existing lamps.

BACKGROUND

Commercial lighting fixtures commonly use fluorescent lamps or incandescent lamps to give off light for illumination. These lighting fixtures have the common drawbacks of high power consumption, quick light attenuation, short service life, fragility, and the inability to be reclaimed. Light emitting diodes, hereinafter LEDs, may be used to replace fluorescent or incandescent bulbs to obtain the environmental and economic benefits of LED technology. However, LEDs are directional, and when used with existing light fixtures, they do not necessarily provide the illumination where it is needed.

Standard light tubes are mounted in a light fixture by sliding connector pins into end sockets and then turning the tube 90° so that the pins engage electrical contacts in the sockets. The lamp tube emits light omnidirectionally and its orientation in the sockets is of no consequence, making orientation of pin connectors on different models of fixtures inconsequential. However, LEDs emit light generally at a narrowly-angled conical path. An LED lighting tube retrofitted into the existing light fixture may not be oriented to emit light in the desired direction as the angular presentation of the light to the surface to be illuminated can be offset by the variation of the pin connectors.

BRIEF SUMMARY

Disclosed herein are embodiments of light emitting diode (LED) lighting apparatus with swivel connections.

One embodiment of the LED lighting apparatus disclosed herein comprises a housing with at least one end, at least one light emitting diode extending along the housing, and at least one end cap. The end cap has an opening with a sidewall to cap the end of the housing and a surface opposite the opening and spanning the sidewall. At least two pin connectors extend from the surface and are connectable to a standard light fixture. The sidewall is configured to friction fit the housing such that the housing will rotate within the end caps with application of a rotational force after connection of the pin connectors to the light fixture.

Another embodiment of the LED lighting apparatus comprises a housing with at least one end, at least one light emitting diode extending along the housing, an end cap capping the at least one end of the housing and fixed relative to the housing, and a pin pivot disk coupled to each end cap and opposite the housing. The pin pivot disk is coupled to pivot around an axis relative to the end cap. The pin pivot disk includes at least two pin connectors extending from the pin pivot disk, the pin connectors connectable to a standard light fixture.

Yet another embodiment of the LED lighting apparatus comprises a housing with at least one end, a ratchet with a gear and a pawl, at least one light emitting diode extending along the housing, at least one end cap having an opening with a sidewall to cap the end of the housing and having a surface opposite the opening and spanning the sidewall, and at least two pin connectors extending from the surface and connect-

2

able to a standard light fixture. The gear is located on one of an inner surface of the sidewall of the end cap or on the housing, and the pawl of the ratchet is located in positional agreement with the gear on the housing when the gear is located on the inner surface of the sidewall or on the inner surface of the sidewall when the gear is located on the housing.

BRIEF DESCRIPTION OF THE DRAWINGS

The description herein makes reference to the accompanying drawings wherein like reference numerals refer to like parts throughout the several views, and wherein:

FIG. 1 illustrates a first embodiment of the LED lighting apparatus;

FIG. 2 illustrates a variation of the first embodiment of the LED lighting apparatus;

FIG. 3 illustrates another variation of the first embodiment of the LED lighting apparatus;

FIG. 4 illustrates a second embodiment of the LED lighting apparatus;

FIG. 5 illustrates a variation of the second embodiment of the LED lighting apparatus;

FIG. 5A is a view of the face of an end cap alternative for the second embodiment of the LED lighting apparatus;

FIG. 6 illustrates a third embodiment of the LED lighting apparatus;

FIG. 7 illustrates a variation of the third embodiment of the LED lighting apparatus;

FIG. 7A illustrates the cross, sectional view of the end cap across lines A-A' shown in FIG. 7;

FIG. 8 is a fragmentary, perspective view of one embodiment showing one end of the housing with an end cap disconnected from a light tube socket of a lighting fixture;

FIG. 9 illustrates an embodiment of an over-rotation prevention device;

FIG. 10 illustrates another embodiment of an over-rotation prevention device;

FIG. 10A is a cross-sectional view of the device of FIG. 10; and

FIG. 11 is an illustration of an over-rotation device for a single socket fixture.

DETAILED DESCRIPTION OF EMBODIMENTS OF THE INVENTION

According to teachings herein, an LED lighting apparatus may be used to replace fluorescent or incandescent bulbs in the existing light fixtures to obtain the environmental and economic benefits of LED technology, while providing illumination oriented to the desired surfaces or areas.

Embodiments of the LED lighting apparatus with swivel connectors are taught herein with reference to the accompanying drawings.

A first embodiment of the LED lighting apparatus with swivel connectors is illustrated in FIG. 1. The housing 10 for at least one LED (not shown) is depicted by broken lines. The end 11 of the housing 10 is capped with an end cap 20. The end cap 20 is friction-fitted onto the end of the housing. The end cap 20 has a sidewall 21 that surrounds the end 11 of the housing 10 and a surface 22 that spans the sidewall 21. From the surface 22 extend at least two pin connectors 30 that connect the housing to a standard fluorescent or incandescent light fixture (not shown). The pin connectors 30 are inserted into the socket or sockets of the lighting fixture. Once the pin connectors 30 are secure in the sockets of the light fixture, the housing 10 can be rotated relative to the end caps 20 with the

application of rotational force on the housing. This rotational force can direct the light from the LEDs to illuminate the desired surface or area. The friction fit of the end cap 20 on the housing end 11 allows for rotation during application of force, with the housing maintaining the final position after rotational force is lifted.

As depicted, the housing is tubular with at least one end. The embodiments disclosed herein are not limited to such a housing. It is contemplated that the housing may be of any suitable shape that can be used with fluorescent or incandescent light fixtures. As a non-limiting example, the housing may be a shroud open along its length. The housing may have as many ends as necessary for a secure fit and the proper electrical connection. The housing may be made of any material known in the art to be used in the lighting industry, including but not limited to UV resistant plastic or glass.

FIG. 8 is a fragmentary, perspective view, of the housing 10 with an end cap 20 disconnected from one end of a light tube socket 100 of a light fixture. As with conventional lighting systems, the light tube socket 100 includes a pair of electrical female connectors 102 for receiving the pin connectors 30 extending from the end cap 20.

The LEDs utilized in the lighting apparatus are those known in the art. More than one LED is commonly referred to as a bank or array of LEDs. Within the scope of these embodiments, the housing 10 may include one or more banks or arrays of LEDs mounted on one or more circuit boards. The LEDs can emit white light and, thus, are commonly referred to in the art as white LEDs. The LEDs can be mounted, for example, to one surface of the circuit board. The LEDs can be arranged on the circuit board or another surface to emit or shine white light through only one side of housing, thus directing the white light to a predetermined point of use, or arranged to emit light through more than one side of the housing. These examples are non-limiting and provided to further illustrate the housing with which the end caps are used.

FIG. 2 illustrates a variation of the first embodiment of the LED lighting apparatus. In FIG. 2 the housing 10 has a crimp 12 along the circumference of the housing a distance in from the end 11 of the housing 10. The sidewall 21 of the end cap 20 has an inward angled edge 23 that is positioned to friction contact the housing 10 at the crimp 12. The end cap 20 and housing 10 are friction fit such that the rotational force that must be applied to align the LED light is greater than that force required to insert the housing 10 with end caps into the sockets of the lighting fixture (not shown). Thus, a force is required to insert the housing 10 into the fixture, and a greater force is required to adjust the housing 10 so that the desired surface or area is illuminated. Once adjustment is complete and the force is lifted, the housing 10 maintains its position due to the friction fit with the end cap 20.

FIG. 3 is yet another variation of the first embodiment of the LED lighting apparatus. In FIG. 3, the housing 10 has a crimp 14 along the circumference of the housing a distance in from the end 11 of the housing 10. The sidewall 21 of the end cap 20 has a friction contact portion 24 located on the sidewall and running the circumference of the sidewall. The friction contact portion 24 is positioned to marry the crimp 14 of the housing 10 when the end cap 20 is capping die end 11 of the housing 10. The friction fit between the end cap 20 and the housing 10 is such that the rotational force that must be applied to align the LED light is greater than that force required to insert the housing end cap(s) into the sockets of the lighting fixture. Thus, a force is required to insert the housing 10 into the fixture, and a greater force is required to adjust the housing 10 so that the desired surface or area is

illuminated. Once adjustment is complete and the force is lifted, the housing 10 maintains its position due to the friction fit.

The friction fit may be obtained by crimping or other means such as press-fitting. These are non-limiting examples and other means are contemplated.

A second embodiment of the LED lighting apparatus is illustrated in FIG. 4. Elements of the second embodiment having the same function as in the first embodiment are denoted by the same reference numerals and duplicate explanations thereof are omitted herein.

In FIG. 4, the housing 10 for at least one LED (not shown) is again depicted by broken lines. The end 11 of the housing 10 is capped with an end cap 20. The end cap 20 has a sidewall 21 that surrounds the end 11 of the housing 10 and a surface 22 that spans the sidewall 21. Located within the surface 22 is a pin pivot disk 26 coupled to the surface 22. The pin pivot disk 26 is coupled so that it can pivot around an axis X relative to the end cap 20. From the pin pivot disk 26 extend at least two pin connectors 30 that connect the housing to a standard fluorescent or incandescent light fixture. The pin connectors 30 are inserted into the socket or sockets of the lighting fixture and are locked into place.

In this embodiment, the end cap 20 and housing 10 do not move relative to each other. Once the pin connectors 30 are inserted into the socket of the fixture (not shown), the housing 10 and end cap 20 can be aligned relative to the pin pivot disk 26 and fixture by the application of a rotational force on the housing 10 or end cap(s) 20. The housing 10 and end cap(s) 20 remain in the desired alignment when the force is lifted.

FIG. 5 depicts a variation of the second embodiment of the LED lighting apparatus disclosed herein. In this variation of the second embodiment, the pin pivot disk 26 is a ratchet gear. The edge 28 of the surface 22 into which the ratcheted pin pivot disk 26 is coupled acts as the pawl of the ratchet. The edge 28 may have a different configuration from that shown in FIG. 5. For example, it may be thicker than the typical edge of the surface 22, or it may be of a different material. FIG. 5A illustrates the surface 22 of the end cap 20 shown without the pivot disk 26, the edge 28 having a pawl 28' extending from it, rather than the edge 28 itself being configured as a pawl.

Again in this variation the end cap 20 and housing 10 do not move relative to each other. Once the pin connectors 30 are inserted into the socket of the fixture (not shown), the housing 10 and end cap 20 can be aligned relative to the ratcheted pin pivot disk 26 and fixture by the application of a rotational force on the housing 10 or end cap(s) 20 that moves the ratchet gear (pin pivot disk 26) relative to the pawl 28' (or edge 28 of the surface 22). The housing 10 and end cap(s) 20 remain in the desired alignment when the force is lifted. To achieve this, either the pawl 28' or the teeth of the ratchet gear (pin pivot disk 26) is flexible such that the rotation of the housing 10 and end cap(s) 20 is allowed while maintaining the pin connectors 30 in the socket.

A third embodiment of the LED lighting apparatus with swivel connections is illustrated in FIG. 6. In FIG. 6, the housing 10 for at least one LED (not shown) is again depicted by broken lines. The end 11 of the housing 10 is capped with an end cap 20. The end cap 20 has a sidewall 21 that surrounds the end 11 of the housing 10 and a surface 22 that spans the sidewall 21. Extending from the surface 22 are at least two pin connectors 30 that connect the housing to a standard fluorescent or incandescent light fixture (not shown). The pin connectors 30 are inserted into the socket or sockets of the lighting fixture.

In FIG. 6 the housing 10 has a ratchet gear 40 positioned a distance in from the end 11 of the housing 10. The ratchet gear

5

40 is positioned so that the teeth of the gear are flush with the housing 10. The sidewall 21 of the end cap 20 has a pawl 42 that is positioned to correspond to the ratchet gear 40 when the end cap 20 is positioned on the end 11 of the housing 10. The end cap 20, after the pin connectors 30 are inserted into the socket, does not move relative to the lighting fixture. During insertion of the pin connectors with rotational movement, the pawl 42 is positioned to rotate against the teeth of the ratchet gear 40. Thus resistance against the teeth is high. Once the pin connectors 30 are inserted, the housing 10 can be aligned relative to the end cap 20 and fixture by the application of a rotational force on the housing 10 that moves the ratchet gear relative to the pawl 42, with the pawl 42 moving with the teeth of the ratchet gear 40. The housing 10 and end cap(s) 20 remain in the desired alignment when the force is lifted. To achieve this, either the pawl 42 or the teeth of the ratchet gear 40 is flexible such that the rotation of the housing 10 is allowed after the pin connectors 30 are inserted.

FIG. 7 illustrates a variation of the third embodiment of the LED lighting apparatus. In this variation, the pawl 46 is positioned on the exterior of the housing 10 a distance from the end 11. The ratchet gear, shown in FIG. 7A, is integral to the end cap 20 and positioned so that when the end cap 20 is capping the end 11 of the housing 10, the pawl 46 and the ratchet gear are in alignment. FIG. 7A is a cross sectional view of the end cap 20 along line A-A' of FIG. 7 illustrating the position of the ratchet gear 44. The end cap 20, after the pin connectors 30 are inserted into the socket, does not move relative to the lighting fixture. During insertion of the pin connectors with rotational movement, the pawl 46 is positioned to rotate against the teeth of the ratchet gear 44. Thus resistance against the teeth is high. Once the pin connectors 30 are inserted, the housing 10 can be aligned relative to the end cap 20 and fixture by the application of a rotational force on the housing 10 that moves the ratchet gear relative to the pawl 46, with the pawl 46 moving with the teeth of the ratchet gear 44. The housing 10 and end cap(s) 20 remain in the desired alignment when the force is lifted. Again, either the pawl 46 or the teeth of the ratchet gear 44 is flexible such that the rotation of the housing 10 is allowed after the pin connectors 30 are inserted.

With any of the embodiments of the LED lighting apparatus disclosed herein, it is contemplated that means to limit the available rotation of the LED housing or housing and end cap may be incorporated. By limiting the available rotation of the housing and/or the end cap, the wires connected from the pins to the LED array are not twisted and strained. This, in turn, should decrease wear and lengthen the life of the electrical connection so that the advantage of extended life of the LEDs can be further realized.

One way in which to avoid over-rotation of the housing 10 for the first and third embodiments, and over-rotation of both the housing 10 and end caps 20 of the second embodiment, is to provide a stop in the end cap 20 and a corresponding stop in the housing. As illustrated in FIG. 9, a stop 50 extends from the inside of the sidewall 21 of the end cap 20. A corresponding stop 52 extends from the housing 10 at a position on the end 11 such that the stops 50, 52 will engage one another at one point during rotation. The stops 50, 52 can be made from any material that is strong enough to withstand the rotational force applied by a user of the lighting apparatus.

Alternative configurations of the stop are contemplated. One such example involving the ratchet of the second embodiment incorporates locating teeth in only a portion of the ratchet gear 40, 44 so that the pawl is prevented from further rotation along the ratchet gear 40, 44. Based on the teachings herein, it should be recognized by those skilled in

6

the art that these stop configurations are provided by way of example and not limitation, and that other suitable stop configurations may be used.

Other ways to prevent twisting of the electrical connections due to rotation of the housing 10 or housing 10 and end cap 20 may be used. One such embodiment incorporates the use of slip rings as illustrated in FIG. 10. The slip ring 60 comprises a conductive circle or band mounted within the housing 10. Electrical connections 62 from the LED array or LED circuit board 64 are made to the slip ring 60 and are omitted here for clarity. A spring loaded center contact 66, located along the center axis of the housing 10, transfers the electrical power from a socket 68 configured in the end cap 20, which in turn transfers the electrical power to the pins 30 that are inserted into the socket of the fixture (not shown in FIG. 10). The electrical connections 62 may also be spring loaded. As used herein, a slip ring is an electrical connection through a rotating assembly. Accordingly, alternative constructions of such a slip ring are possible and can include, for example, rotary electrical interfaces, rotating electrical connectors, collectors, swivels, electrical rotary joints, etc. FIG. 10A is a cross-sectional view of the housing 10 along dotted line 10A, showing the slip ring 60 positioned within the housing wall 70, with the spring loaded center contact 66 at the center. The end cap is omitted from FIG. 10A.

FIG. 11 is an alternative embodiment of the electrical connection over-rotation prevention for housings with only one electrical connection, rather than the two connections used with a traditional fluorescent fixture. In FIG. 11, the electrical connections (not shown) from the LED array or circuit board 64 are connected, to a spring loaded contact pin 66' located along the center axis of the housing 10. A socket 68' in the center of the end cap 20 surface 22, which draws electrical power through the pins 30 of the end cap 22, is in contact with the spring loaded contact pin 66'. Since the electrical connections to both the socket 68' and the spring loaded contact pin 66' do not rotate relative to the connection points, strain and stress on the connections are reduced.

While the invention has been described in connection with certain embodiments, it is to be understood that the invention is not to be limited to the disclosed embodiments but, on the contrary, is intended to cover various modifications and equivalent arrangements included within the spirit and scope of the appended claims, which scope is to be accorded the broadest interpretation so as to encompass all such modifications and equivalent structures as is permitted under the law.

What is claimed is:

1. A LED lighting apparatus for use in a standard light fixture, the apparatus comprising:
 - a housing with at least one end;
 - at least one light emitting diode extending along the housing; and
 - at least one end cap, wherein the end cap has an opening with a sidewall to cap the end of the housing; wherein the sidewall has a protrusion extending inward and the housing further comprises a corresponding recess in the housing and spaced between the end and a longitudinal center of the housing, the protrusion aligning within the recess when the end cap caps the end of the housing to friction fit the housing such that the housing will rotate to a plurality of illuminating positions within the end caps with application of a rotational force after insertion of the housing in the light fixture, the friction fit maintaining the housing in one of the plurality of illuminating positions to which the housing was rotated.
2. The apparatus of claim 1, along the circumference of the housing wherein the rotational force required for alignment

7

with any one of the plurality of illuminating positions is greater than a force required for insertion into the light fixture.

3. The apparatus of claim 1, wherein the friction fit is obtained by crimping or press-fitting.

4. The apparatus of claim 1, wherein the end cap has a first stop extending from the sidewall into the opening and the at least one end of the housing has a second stop positioned for engagement with the first stop to limit a rotational range of the housing.

5. The apparatus of claim 1, further comprising:
a slip ring and a spring loaded contact located within the at least one end of the housing, wherein an electrical connection from the at least one light emitting diode con-

8

tacts the slip ring and the spring loaded contact transfers electrical power from the electrical connection to pin connectors extending from the end cap via a socket on the end cap.

6. The apparatus of claim 1, wherein the housing has one end, the apparatus further comprising:
a socket located on the end cap and configured to transfer electrical power from pin connectors extending from the end cap to the at least one light emitting diode via a spring loaded contact pin.

* * * * *